



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/520,096	01/03/2005	Robert Allan Phillips	I44500.0010USWO	6979
23552	7590	10/02/2008		
MERCHANT & GOULD PC			EXAMINER	
P.O. BOX 2903			CATTUNGAL, SANJAY	
MINNEAPOLIS, MN 55402-0903			ART UNIT	PAPER NUMBER
			3768	
			MAIL DATE	DELIVERY MODE
			10/02/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/520,096	Applicant(s) PHILLIPS, ROBERT ALLAN
	Examiner SANJAY CATTUNGAL	Art Unit 3768

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
 - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
 - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED. (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(o).

Status

- 1) Responsive to communication(s) filed on 11 June 2008.
 2a) This action is FINAL. 2b) This action is non-final.
 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) Claim(s) 1-5 is/are pending in the application.
 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
 5) Claim(s) _____ is/are allowed.
 6) Claim(s) 1-5 is/are rejected.
 7) Claim(s) _____ is/are objected to.
 8) Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) The specification is objected to by the Examiner.
 10) The drawing(s) filed on 03 January 2005 is/are: a) accepted or b) objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 a) All b) Some * c) None of:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/DP/0656) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Arguments

Applicant's arguments with respect to claims 1-5 have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 101

35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

Claims 1-5 are rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter.

On October 26, 2005, the USPTO published Interim Guidelines for Examination of Patent Applications for Patent Subject Matter Eligibility. See:
http://www.uspto.gov/web/offices/pac/dapp/opla/preognotice/guidelines101_20051026.pdf

This guidelines details a procedure for determining patent eligible subject matter.

To satisfy the requirement of a practical application, the claimed invention must:

(1) transform an article or physical object to a different state or thing; if no transformation, then

(2) the claimed invention must produce a useful, concrete, and tangible result.

Regarding the instant application, the claims do not provide a transformation or reduction of an article to a different state or thing.

Accordingly, one must then consider whether the claimed invention produces a useful, concrete, and tangible result.

(1) Useful Result

For an invention to be "useful" it must satisfy the utility requirement of section 101. The USPTO's official interpretation of the utility requirement provides that the utility of the invention has to be (i) specific, (ii) substantial and (iii) credible. See MPEP 2107. It can be argued that the claim does not provide a useful result in that the claim does not actually yield a useful result. It does not appear to be specific as to how a native to prosthetic flow index is reached, it is not specific as to the use of this native to prosthetic flow index.

(2) Tangible Result

The tangible requirement does not necessarily mean that a claim must either be tied to a particular machine or apparatus or must operate to change articles or materials to a different state or thing. However, the tangible requirement does require that the claim must recite more than a 101 judicial exception, in that the process claim must set forth a practical application of that 101 judicial exception to produce a real world result.

Regarding the tangible result requirement, the claim clearly does not provide a practical application. For example, once the native to prosthetic flow index is calculated, how is it then applied?

(3) Concrete Result

Another consideration is whether the invention produces a "concrete" result. Usually, this question arises when a result cannot be assured. In other words, the

process must have a result that can be substantially repeatable or the process must substantially produce the same result again. Resolving this question is dependent on the level of skill in the art. For example, if the claimed invention is for a process which requires a particular skill, to determine whether the process is substantially repeatable will necessarily require a determination of the level of skill of the ordinary skilled artisan.

Regarding the concrete result requirement, the claim does provide a result that can be assured in that the result can be substantially repeatable and the process can substantially produce the same result again.

In view of the above analysis, applicant's claim 1 is a process which includes a judicial exception therein. Upon review of the claim as a whole, there is no transformation nor does the claim produce a useful, and tangible result. Accordingly, the claim is non-statutory under 35 U.S.C. 101 as it lacks utility.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claim 1 is rejected under 35 U.S.C. 102(e) as being anticipated by U. S. Patent No. 6,511,413 to Landesberg.

Regarding Claims 1 and 3-5, Landesberg teaches a method of monitoring the operation of a prosthetic assist device, the method comprising the steps of: utilizing a non invasive device to monitor or serially measure directly the blood flow through at least one heart ventricle (Col. 8 lines 1-15); separately monitoring the blood flow through the prosthetic assist device; combining said two measurements to control the VAD. (Abstract and Claims 1, 2, and 6)

Regarding Claim 2, Landesburg teaches continuous Doppler flow monitoring of the heart.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to SANJAY CATTUNGAL whose telephone number is (571)272-1306. The examiner can normally be reached on 9:30 - 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Brian Casler can be reached on (571)272-4956. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/BRIAN CASLER/
Supervisory Patent Examiner, Art
Unit 3737

SPC